

ORDINANCE #682

Sidewalks

AN ORDINANCE OF THE CITY OF HARTFORD, SOUTH DAKOTA, AMENDING ORDINANCE 430, TITLE 6 - STREETS, SIDEWALKS AND PUBLIC PLACES, CHAPTER 6.02 – STREETS, SIDEWALKS, CURB AND GUTTER, SECTION 6.0207 - SIDEWALKS;

BE IT ORDAINED BY THE GOVERNING BODY OF THE CITY OF HARTFORD, SOUTH DAKOTA:

THAT TITLE 6, CHAPTER 6.02, SECTION 6.0207 BE AMENDED AS FOLLOWS:

6.0207 - SIDEWALKS

A sidewalk shall be constructed commencing at a point that is twelve (12) inches outside of the property line or at a point determined by the city engineer or public works superintendent. If a property owner disagrees with the location of the sidewalk, the location will be determined by the Hartford City Council.

Sidewalk construction shall be no less than four (4) inches in thickness, of Portland Cement Construction, and not less than five (5) feet wide in residential areas, with slope toward street no greater than one-fourth (1/4) inch per foot. All sidewalks shall be constructed to meet current ADA standards.

When considered necessary and advisable for the peace, welfare, and safety of the people, the City Council may direct that new sidewalk be constructed and assessed to any abutting property owner. (SDCL 9-46-1, 9-45-14)

When existing sidewalk is removed for any reason it shall be replaced, according to the provisions of this section.

Adopted this 3rd day of December 2019.

Mayor Jeremy Menning

ATTEST:

Karen Wilber, Finance Officer

(seal)

First Reading: November 19, 2019
Second Reading and Adoption: December 3, 2019
Publication: December 12, 2019
Effective: January 1, 2020